Division of Emergency Medical Services

Office of Fire Services

Firefighter I and II

Practical Skills Sheets

OHIO DEPARTMENT OF PUBLIC SAFETY

INDEX OF PRACTICAL SKILL SHEETS

SKILL #	FF I / FFII	OBJECTIVE	SKILL	TEST METHOD	STATE MAXIMUM ALLOTTED
1-1	FF I	5.5.1	PPE – Inspecting SCBA	M	5 Minutes
1-2	FF I	5.1.2	PPE – Donning PPE	M	1 Minutes
1-3	FF I	5.3.1	PPE – Donning SCBA	M	1 Minutes
1-4	FF I	5.3.1 5.3.5 5.3.9	PPE – SCBA Emergency Procedures	M	5 Minutes
2-1	FF I	5.1.2 5.3.12	Knots and Hoisting	R	10 Minutes
3-1	FF I	5.2.1 5.2.3	Communications - Radio	R	1 Minutes
3-2	FF II	6.2.2	Fireground Communication	R	1 Minutes
4-1	FF I	5.3.2 5.3.3	Responding on Apparatus	R	5 Minutes
4-2	FF II	6.1.2	Establishing Command	R	3 Minutes
5-1	FF I	5.3.1 5.3.9	Restricted Passage	R	4 Minutes
6-1	FF I	5.3.4	Forcible Entry	R	5 Minutes
7-1	FF I	5.3.6 5.3.9 5.3.12	Two Firefighter Ladder Carry and Raise	R	5 Minutes
7-2	FF I	5.3.6	Raise A Ladder – Two Firefighter Flat Raise	R	10 Minutes
7-3	FF I	5.3.6	One Firefighter Extension Ladder Carry and Raise	M	10 Minutes
7-4	FF I	5.3.6	One Firefighter Roof Ladder Deployment	R	10 Minutes
7-5	FF I	5.3.6	Two Firefighter Retract and Lower a 24 Foot Extension Ladder	R	5 Minutes
8-1	FF I	5.3.3 5.3.7	Passenger Vehicle Fire **(FLIP THE SWITCH)**	R	7 Minutes
9-1	FF I	5.3.3 5.3.8	Exterior Class A Fire	R	7 Minutes
10-1	FF I	5.3.5 5.3.9	Search and Rescue-Primary Search **(FLIP THE SWITCH)**	M	10 Minutes
11-1	FF I	5.3.10 5.5.2	Advancing an Uncharged Line From Ladder	R	10 Minutes
12-1	FF I	5.5.2	Advancing a Charged Line Into Structure	R	10 Minutes
13-1	FF I	5.3.10	Interior Structure Fire Attack **(FLIP THE SWITCH)**	M	10 Minutes
13-2	FF II	6.1.2 6.2.2 6.3.2	Establishing Command and Coordinating Crews	M	10 Minutes

M = Mandatory Skill **R = Random Skill** **S = Skill May Be Simulated**

INDEX OF PRACTICAL SKILL SHEETS

SKILL #	FF I / FFII	OBJECTIVE	SKILL	TEST METHOD	STATE MAXIMUM ALLOTTED
14-1	FF I	5.3.11 5.3.12	Horizontal Ventilation	R	15 Minutes
15-1	FF I	5.3.12	Vertical Ventilation	R	10 Minutes
16-1	FF I	5.3.14	Salvage and Overhaul – Two Firefighter Salvage Folds	R	10 Minutes
16-2	FF I	5.3.14	One Firefighter Salvage-Cover Roll and Spread	R	5 Minutes
17-1	FF I	5.3.15	Water Supply – Supply Lay Connections	R	10 Minutes
17-2	FF I	5.3.15	Water Supply – Hydrant Supply Lay Connections	R	10 Minutes
17-3	FF I	5.3.15	Water Supply – Drafting	R	10 Minutes
18-1	FF I	5.3.16 5.5.1	Operating Portable Fire Extinguishers	R	3 Minutes
19-1	FF I	5.3.18	Securing Building Utilities	R / S	3 Minutes
19-2	FF I	5.3.17	Emergency Scene Illumination	R / S	3 Minutes
20-1	FF I	5.3.3 5.3.19	Ground Cover Fire	R / S	5 Minutes
21-1	FF I	5.5.1	Equipment Maintenance – Cleaning and Inspecting Ladders	R / S	5 Minutes
21-2	FF I	5.1.2 5.5.1	Equipment Maintenance – Cleaning and Inspecting Rope	R / S	5 Minutes
21-3	FF II	6.5.4	Equipment Maintenance – Power Tool Maintenance	R / S	5 Minutes
22-1	FF I	5.5.2	Hose Maintenance - Cleaning and Inspecting Fire Hose	R / S	5 Minutes
23-1	FF II	6.2.1	Incident Report	R	5 Minutes
24-1	FF II	6.3.1	Ignitable Liquid Fire **(FLIP THE SWITCH)**	R / S	10 Minutes
25-1	FF II	6.3.3	Flammable Gas Fire **(FLIP THE SWITCH)**	M	10 Minutes
26-1	FF II	6.4.1 6.4.2	Vehicle Extrication **(FLIP THE SWITCH)**	M	15 Minutes
27-1	FF II	6.5.1	Home Fire Safety Survey	R	20 Minutes
28-1	FF II	6.5.2	Fire and Life Safety Education	R	30 Minutes
29-1	FF II	6.5.3	Pre-Incident Survey	R	20 Minutes
30-1	FF II	6.5.5	Service Testing Fire Hose	R	15 Minutes
32-1	FF I	5.3.14	Salvage and Overhaul –Two Firefighter Salvage Deployment	R	10 Minutes

M = Mandatory Skill **R = Random Skill** **S = Skill May Be Simulated**

INDEX OF PRACTICAL SKILL SHEETS

SKILL #	FF I / FFII	OBJECTIVE	SKILL	TEST METHOD	STATE MAXIMUM ALLOTTED
33-1	FF I	5.3.1 5.5.3	Rolling Hose	R	10 Minutes
33-2	FF I	5.3.1 5.5.4	Accordion Hose Load (Reverse Lay)	R	5 Minutes
33-3	FF I	5.3.1 5.5.4	Flat Hose Load (Forward Lay)	R	10 Minutes
33-4	FF I	5.3.1 5.5.4	Pre-Connected Flat Hose Load	R	10 Minutes
33-5	FF I	5.1.1 5.3.1 5.5.4	Minuteman Hose Load	R	10 Minutes
33-6	FF I	5.3.1 5.5.4	Triple Layer Hose Load	R	10 Minutes

M = Mandatory Skill **R = Random Skill** **S = Skill May Be Simulated**

OHIO DEPARTMENT OF PUBLIC SAFETY

PERSONAL PROTECTIVE EQUIPMENT INSPECTING SCBA

CANDIDATE NAME (PLEASE PRINT)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Personal Protective Equipment-Inspecting SCBA	**JPR(s)**	5.5.1
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	1-1
Candidate Instruction	The candidate, given a self-contained breathing apparatus, shall demonstrate and verbalize how to inspect and maintain this unit to ensure the SCBA is ready to use.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Checks manufacturer date, and hydro dates. Checks that cylinder is 100% full. —**CRITICAL POINT**						
Checks to ensure that the harness system is in good condition & that all straps are in the fully extended position.						
Prior to pressurization, checks to ensure that all hose connections are tight.						
After pressurization, checks to make sure that hose is free of leaks.						
Checks to ensure that the face piece is in good condition & the straps are in the fully extended position.						
If applicable inspect the Universal Air Connection to be sure it is free from dirt and debris.						
Checks that all gauges work. Cylinder & regulator gauge should read within 10% of each other.						
Check PASS device to make sure it goes through all four (4) phases of activation, and manual activation.						
If applicable ensure the heads up display is working properly and coincides with the cylinder pressure.						
Checks to ensure that all valves (e.g. bypass, mainline, exhalation) are operational. Bypass valve should be fully closed. —**CRITICAL POINT**						
Checks cleanliness of unit.						
Checks to see that low pressure alarm is in working condition and operates at 25% of cylinder volume.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (9/12required).	**Score: ___/ 12**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 12	/ 12	/ 12
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

PERSONAL PROTECTIVE EQUIPMENT DONNING PPE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Personal Protective Equipment-Donning PPE	**JPR(s)**	5.1.2
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	1-2
Candidate Instruction	The candidate, given a complete set of PPE, will don full personal protective clothing, according to manufacturer's recommendations, within 1 minute. Candidate shall clap hands or verbalize at completion of skill, this will allow the evaluator to stop time when clap of hands or verbal indication is heard. Timing starts when the candidate first touches any article of turnout gear after telling the evaluator they are ready to start.		State Maximum Allotted 1 minute

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Dons boots, pants, protective hood, coat, helmet, and gloves. —**CRITICAL POINT**						
All personal protective equipment donned properly (no exposed skin except for facial area, helmet strap is tightened, coat collar is up, and all fasteners are secured). —**CRITICAL POINT**						
Completed within 1 minute. —**CRITICAL POINT**						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (3/3 required).	**Score:___/ 3**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 3	/ 3	/ 3
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

PERSONAL PROTECTIVE EQUIPMENT DONNING SCBA

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Personal Protective Equipment-Donning SCBA	**JPR(s)**	5.3.1
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	1-3
Candidate Instruction	The candidate, wearing personal protective clothing shall properly don a self-contained breathing apparatus, according to manufacturer's recommendations, within 1 minute. The candidate shall have their hood on and pulled back. Their helmet and gloves are not worn to start the practical skill but must be worn to complete the skill. The candidate may use any of the following: Over-the-head method, Coat method, Seat mount method, or Compartment method. Candidate shall clap hands or verbalize at completion of skill; this will allow the evaluator to stop time when clap of hands or verbal indication is heard. Timing starts when the candidate first touches any part of the SCBA after telling the evaluator they are ready to start. Timing will end when all protective clothing and SCBA are donned and the PASS alarm is armed.		State Maximum Allotted 1 minute

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing —**CRITICAL POINT**						
Dons SCBA using one of the listed methods and ensures unit is secured and adjusted properly skill shall be completed in 1 minute —**CRITICAL POINT**						
Open cylinder valve completely. —**CRITICAL POINT**						
Dons face piece, attaches regulator (if using waist mount regulator, attaches breathing tube to regulator) inhales activating regulator, checks for proper seal ensuring there are no leaks. —**CRITICAL POINT**						
Ensures exhalation valve is working properly. —**CRITICAL POINT**						
Dons hood, helmet, and gloves and ensures there is no exposed skin. —**CRITICAL POINT**						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/6 required).	**Score:___/ 6**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 6**	**/ 6**	**/ 6**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

PERSONAL PROTECTIVE EQUIPMENT
SCBA EMERGENCY PROCEDURES

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Personal Protective Equipment-SCBA Emergency Procedures	**JPR(s)**	5.3.1, 5.3.5, 5.3.9
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	1-4
Candidate Instructions	The candidate, wearing full personal protective equipment and SCBA shall demonstrate controlled breathing techniques and be able to demonstrate the ability to perform an emergency procedure check on their SCBA. Warning: No emergency breathing procedure is endorsed by manufacturers, IFSTA, ANSI, or any other regulating agency. These procedures should be used only as a last resort in life threatening situations.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
	P	F	P	F	P	F
Wearing complete personal protective clothing.						
Declare MAYDAY, activate PASS device. —**CRITICAL POINT**						
Notifies partner of SCBA problem. —**CRITICAL POINT**						
Does not remove face piece. —**CRITICAL POINT**						
Hand goes to the face piece and regulator, checking by-pass valve.						
Uses bypass or cylinder valve to control air flow (depending on free flow or no flow).						
Corrects problem if possible.						
Moves to exit as quickly as possible.						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (6/8 required).				**Score: ___/ 8**		
OR	**TEST 1**		**RETEST 2**		**RETEST 3**	
DECLARING A MAYDAY	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Transmits on radio that they are declaring a Mayday (repeats three times) and reports their assignment. —**CRITICAL POINT**						
Reports nature of Mayday and current location (last known location) with LUNAR.						
Manually activates PASS device. —**CRITICAL POINT**						
Listens for acknowledgement of Mayday, if no response, repeat.						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5required).				**Score: ____/ 5**		

PERFORMANCE STEPS			
NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 8**	**/ 8**	**/ 8**
TIME			
EVALUATORS COMMENTS			

DECLARING A MAYDAY			
NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 5**	**/ 5**	**/ 5**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

KNOTS AND HOISTING

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Knots and Hoisting	**JPR(s)**	5.1.2, 5.3.12
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	2-1
Candidate Instruction	The candidate, wearing protective equipment and given a fire service rope(s) shall tie an appropriate knot and hoist listed equipment. The candidate shall demonstrate each of the following: bowline, clove hitch, figure eight follow through, figure eight on a bight, and becket (sheet) bend with appropriate overhand safety.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing						
Correctly ties the following knots: bowline, clove hitch, figure eight follow through, figure eight on a bight, becket (sheet) bend. All five (5) knots must be completed with the appropriate overhand safety.—**CRITICAL POINT**						
Ties a secure and appropriate knot for one of the following pieces of equipment: pick head axe, exhaust fan, uncharged section of 1 ½" or 1 ¾", charged section of 1 ½" or 1 ¾", roof ladder, and pike pole.—**CRITICAL POINT**						
Hoists tools and equipment without complications. **—CRITICAL POINT**						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (3/4 required).	**Score: ____/ 4**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 4**	**/ 4**	**/ 4**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

COMMUNICATIONS - RADIO

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Communications - Radio	**JPR(s)**	5.2.1, 5.2.3
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	3-1
Candidate Instruction	The candidate will demonstrate transmitting and receiving radio messages using a two-way portable radio.		State Maximum Allotted 1 minute

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
USING A TWO-WAY RADIO	**P**	**F**	**P**	**F**	**P**	**F**
Checks equipment and ensures that radio is on correct frequency, battery is fully charged, and radio is ready to be used. —**CRITICAL POINT**						
Waits for open channel prior to transmitting ensuring that they are not interrupting other transmissions.						
Begins with call sign of station being called.						
Uses radio phonetics correctly.						
Transmits message clearly, concisely, and using clear speech (no codes). —**CRITICAL POINT**						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required).	**Score: ___/ 5**

NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 5**	**/ 5**	**/ 5**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

FIREGROUND COMMUNICATION

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Communications - Fireground Communications	**JPR(s)**	6.2.2
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	3-2
Candidate Instruction	The candidate given a scenario and communication equipment shall communicate the need for team assistance so that the supervisor (evaluator) is consistently informed of the teams needs.		State Maximum Allotted 1 minute

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
RADIO COMMUNICATIONS	**P**	**F**	**P**	**F**	**P**	**F**
Ensures radio is working properly and is used correctly. **—CRITICAL POINT**						
Waits for open channel prior to transmitting and begins with call sign being called.						
Transmits necessary information (team needs, changing conditions) clearly, concisely, and with no codes.**—CRITICAL POINT**						
Acknowledges incoming messages by briefly repeating message back to sender.						
Uses radio phonetics correctly.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required).	**Score: ___/ 5**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 5**	**/ 5**	**/ 5**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

RESPONDING ON APPARATUS

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Incident Response and Establishing the Work Area-Responding on Apparatus	**JPR(s)**	5.3.2, 5.3.3
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	4-1
Candidate Instruction	The candidate, wearing personal protective clothing shall properly use all safety devices and equipment while responding on an apparatus to a roadway emergency. The candidate shall properly mount and dismount apparatus, recognizing potential hazards.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 1		RETEST 2	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Starting properly dressed in all personal protective clothing & equipment. **—CRITICAL POINT**						
Mounts apparatus using proper foot and hand holds.						
Sits in a proper location and fastens seatbelt and other safety devices. **—CRITICAL POINT**						
Indicates to driver that they are seated and secured.						
Completes in cab functions which do not require removal of safety devices.						
Remains seated until driver indicates that dismount is safe. **—CRITICAL POINT**						
Instruct candidate to dismount apparatus and establish a work area while considering simulated traffic conditions.						
Dismount using appropriate hand rails and steps while observing the surroundings.						
Uses traffic and scene control devices to divert traffic, and establish a protected work area.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (7/9 required).	**Score: ____/ 9**

NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 9**	**/ 9**	**/ 9**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

ESTABLISHING COMMAND

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Establishing Command	**JPR(s)**	6.1.2
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	4-2
Candidate Instruction	The candidate given the following scenario and communication equipment shall demonstrate establishing command of the scene. “ A car fire in the driveway of a residence with the exposure on the “B” side”		State Maximum Allotted 3 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Evaluates the need to establish command.						
Gathers all necessary information and performs a situational status report.						
Announces that they are establishing command to all members on scene.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (3/3 required).	**Score: ___/ 3**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 3	/ 3	/ 3
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

RESTRICTED PASSAGE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Restricted Passage	**JPR(s)**	5.3.1, 5.3.9
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	5-1
Candidate Instruction	The candidate wearing personal protective equipment including SCBA/breathing air, and with obscured vision, shall demonstrate procedures that require a rapid escape from a restricted passage and implement the steps required to safely exit.		State Maximum Allotted 4 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
RESTRICTED PASSAGE PROCEDURES	**P**	**F**	**P**	**F**	**P**	**F**
Wearing PPE and SCBA before entering hazardous atmosphere.						
Reduce profile and attempt to pass through restriction.						
Shall loosen parts of the SCBA harness or remove backpack completely as necessary to pass through restriction.						
Pass through restricted opening while maintaining protection of full PPE including control of low pressure line. —**CRITICAL POINT**						
Place SCBA back in correct position. —**CRITICAL POINT**						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required).	**Score:___/ 5**

NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 5**	**/ 5**	**/ 5**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

FORCIBLE ENTRY

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Forcible Entry	**JPR(s)**	5.3.4
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	6-1
Candidate Instruction	The candidate wearing full protective equipment and given a selection of forcible entry tools shall demonstrate procedures for forcing their way into one, or a combination of the following: doors, windows, or through walls. The charter training program may demonstrate and / or perform this skill using props		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wears all personal protective equipment. —**CRITICAL POINT**						
Selects proper forcible entry tool for task and identifies locking mechanism or obstruction.						
Identifies potential hazards. —**CRITICAL POINT**						
Opens door, window, or wall using approved methods. —**CRITICAL POINT**						
Props open door or window to prevent closure OR ensures it is safe to force their way through a wall.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required).	**Score:____/ 5**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 5**	**/ 5**	**/ 5**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

TWO FIREFIGHTER LADDER CARRY AND RAISE

CANDIDATES NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Ladders- Two Firefighter Ladder Carry and Raise	**JPR(s)**	5.3.6, 5.3.9, 5.3.12
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	7-1
Candidate Instruction	The candidate, wearing protective clothing, provided with an assistant, given a fire service extension ladder (28 to 35 foot extension ladder) shall correctly carry the ladder using an approved carry technique. The candidate shall raise ladder, set proper climbing angle, climb the ladder to a designated point, and safely lower ladder to ground. The candidate shall be giving all placement and movement commands.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Carries ladder to the building using approved carrying technique (suitcase, shoulder, flat).						
Checks for overhead and ground obstructions before raising and places butt of ladder on ground at a point determined for proper climbing angle. —**CRITICAL POINT**						
Raises ladder to vertical position using a flat or beam raise.						
Fly section is extended to necessary height depending on task.						
Ladder is stable and under control at all times. —**CRITICAL POINT**						
Ensure proper climbing angle to designate task, halyard is secured with clove hitch and overhand safety and locks are visually checked —**CRITICAL POINT**						
Ensures ladder is heeled at all times while on ladder.						
Safely climbs to assigned point maintaining three points of contact on ladder.						
Safely descends ladder and lowers ladder to ground.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (7/10 required).	**Score: ___/ 10**
Note: Candidate must be able to demonstrate pivoting ladder if required.	

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 10	/ 10	/ 10
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

RAISE A LADDER-TWO-FIREFIGHTER FLAT RAISE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Raise a ladder-Two-firefighter flat raise	**JPR(s)**	5.3.6
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	7-2
Candidate Instruction	For this skills evaluation checklist, candidate wearing personal protective clothing will raise a 24 to 28 foot ladder using the two-firefighter flat raise. Beam or rung method accepted. Candidate will extend the fly section fully . **Note: Firefighter #1 is located near the butt end of the ladder. Firefighter #2 is located near the tip end of the ladder.**		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing						
Firefighter #1: Place the butt end on the ground.						
Firefighter #2: Pick up the tip of the ladder beam and place on a shoulder.						
Firefighter #1: Heel the ladder by standing on the bottom rung. —**CRITICAL POINT**						
Firefighter #1: Crouch down to grasp a convenient rung or the beams with both hands.						
Firefighter #1: Lean back.						
Check and verbalize for overhead and ground obstructions. —**CRITICAL POINT**						
Firefighter #2: Step beneath the ladder.						
Firefighter #2: Grasp a convenient rung or beams with both hands.						
Firefighter #2: Raise ladder to a vertical position. (rungs or beams accepted) —**CRITICAL POINT**						
Firefighter #1: Grasp successively higher rungs or higher on the beams as the ladder comes to a vertical position until standing upright.						
Both Firefighters: Face each other.						
Both Firefighters: Heel the ladder by placing toes against the beams.						
Firefighter #1: Grasp the halyard.						
Firefighter #2: Grasp the beams.						
Firefighter #1: Verbalizes “Hands and feet clear”. Firefighter #2: Confirms the command. —**CRITICAL POINT**						
Firefighter #1: Extend the fly section completely. With a hand-over-hand motion. Engage the ladder locks. —**CRITICAL POINT**						
Both Firefighters; Lower the ladder gently onto the building ensuring proper climbing angle for designated task.						
Tie the halyard using a clove hitch. —**CRITICAL POINT**						
Proper climbing method (smooth and rhythmically, hands and feet movement).						
Leg lock employed correctly (opposite from working side).						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (15/21 required).	**Score: ___/ 21**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 21	/ 21	/ 21
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR X		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR X		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR X		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

ONE FIREFIGHTER EXTENSION LADDER CARRY AND RAISE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	One Firefighter Extension Ladder Carry and Raise	**JPR(s)**	5.3.6
Reference Source	NFPA 1001 Standard, 2007 Edition	**Skill No.**	7-3
Candidate Instruction	The student wearing personal protective clothing shall remove the 24' extension ladder from the fire department pumper and carry it to a point of service (as indicated by the evaluator). The student shall properly raise (for the purpose of rescue) the 24' extension ladder to the second floor window. The student shall properly spot and secure the 24' extension ladder for climbing. **Note: The student is not permitted to run at any time.**		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Any unsafe act or operation while carrying, raising, or operating on the ladder. **—CRITICAL POINT**						
Proper ladder carry (low shoulder, butt-end forward).						
Check and verbalize for overhead and ground obstruction before raising. **—CRITICAL POINT**						
Proper spotting of ladder (1/4 of used length from building).						
Proper raise using beam or flat raise (uses building to butt, fly section in, flush to building).						
Proper placement (just below sill, rolls ladder to fly out, 75 degree climbing angle), halyard is secured with a clove hitch and overhand safety and locks are visually checked, verbalized, and corrected if needed.						
Accomplishes task in prescribed time (10 minutes).						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (6/8 required).	**Score: ___/ 8**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 8**	**/ 8**	**/ 8**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

ONE FIREFIGHTER ROOF LADDER DEPLOYMENT

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	One Firefighter Roof Ladder Deployment	**JPR(s)**	5.3.6
Reference Source	NFPA 1001 Standard, 2007Edition	**Skill No.**	7-4
Candidate Instruction	The student wearing protective clothing shall carry, raise, and place the 14' aluminum roof (single) ladder for the purpose of climbing. The student shall retrieve the second 14' aluminum roof ladder. The second ladder shall be carried, prepared, and deployed (utilizing the first ladder) to the roof. Upon completion of the evaluation, the student shall return the ladders as initially found. **Note: The evaluator or assistant will foot the ladder when necessary.**		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Any unsafe act or operation while carrying, raising or operating the ladder. **—CRITICAL POINT**						
Proper ladder carries: Low shoulder, butt-end forward for climbing Low shoulder, tip-end forward for roof deployment						
Check and verbalize for overhead and ground obstruction. —**CRITICAL POINT**						
Proper raises: Uses building to butt roof ladder Uses beam of climbing ladder to butt roof ladder						
Prepares hooks prior to raising / deploying roof ladder.						
Proper climbing method (smooth and rhythmically, hands and feet movement).						
Proper ladder hoist (shoulder placement just above mid-point).						
Leg lock employed correctly (opposite from working side).						
Places roof ladder using acceptable method to secure over ridge line.						
Lapsed time within 10 minutes.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (8/11 required).	**Score: ___/ 11**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 11	/ 11	/ 11
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

TWO FIREFIGHTER RETRACT AND LOWER A 24 FOOT EXTENSION LADDER

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Two Firefighter Retract and lower a 24 foot extension ladder.	**JPR(s)**	5.3.6
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	7-5
Candidate Instruction	For this skills evaluation checklist, candidates wearing personal protective clothing will retract and lower an extension ladder.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Untie the halyard.						
Check and verbalize for overhead and ground obstructions. —**CRITICAL POINT**						
Firefighter #2 Properly heel ladder.						
Firefighter #1&2 Properly remove ladder from building.						
Firefighter #1 Verbalizes “Hands and feet clear”. Firefighter #2 Confirms the command. —**CRITICAL POINT**						
Firefighter #1 Properly retract ladder fly(s) using hand under hand method.						
Properly lower ladder to ground.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (6/8 required).	**Score: ___/ 8**

NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 8**	**/ 8**	**/ 8**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

PASSENGER VEHICLE FIRE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Passenger Vehicle Fire	**JPR(s)**	5.3.3, 5.3.7
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	8-1
Candidate Instruction	The candidate, working as a member of a team, given personal protective equipment including SCBA, fire fighting tools and equipment, and traffic control devices, shall establish safe work areas and safely extinguish a passenger vehicle fire. The attack line should be 38mm (1 ½") or larger with a nozzle capable of delivering a minimum of 125 GPM. The charter training program may demonstrate and / or perform this skill using props designed specifically for this purpose.		State Maximum Allotted 7 minutes

THIS SKILL MAY BE CONDUCTED USING THE "FLIP THE SWITCH" METHOD.						
PERFORMANCE STEPS	**TEST 1**		**RETEST 2**		**RETEST 3**	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wears complete personal protective clothing including SCBA. —**CRITICAL POINT**						
Deploys traffic and scene control devices and establishes safe work areas.						
Selects proper hoseline, expels air and tests nozzle pattern.						
Approaches fire safely / properly (uphill, upwind, and from safe distance) starting with a direct attack and widening stream pattern while advancing to vehicle. —**CRITICAL POINT**						
Extinguishes any fire under vehicle while advancing attack line.						
Extinguishes fire properly and completes overhaul ensuring all compartments have been checked (under hood, trunk, and passenger compartment).						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/6 required).	**Score: ___/ 6**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 6	/ 6	/ 6
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

EXTERIOR CLASS A FIRE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Exterior Class A Fire	**JPR(s)**	5.3.3, 5.3.8
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	9-1
Candidate Instruction	The candidate, working as a member of a team, given personal protective equipment including SCBA, fire fighting tools and equipment, handlines or master streams, and traffic control devices, shall establish safe work areas and safely extinguish an exterior Class A fire of a minimum of 3 wooden pallets. The attack line should be 1 ½" or larger.		State Maximum Allotted 7 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wears complete personal protective clothing including SCBA. —**CRITICAL POINT**						
Deploys traffic and scene control devices and establishes safe work areas.						
Ensure obvious hazards are avoided. —**CRITICAL POINT**						
Deploys handlines or master stream devices with adequate water supply lines ensure further hazards are avoided.						
Positions fire streams to protect exposures and control fire.						
Uses necessary tools and penetrating streams to completely extinguish fire and completes overhaul.						
Overhauls fire with concern for evidence preservation.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (6/7 required).	**Score: ___/ 7**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 7	/ 7	/ 7
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

SEARCH AND RESCUE - PRIMARY SEARCH

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Search and Rescue-Primary Search	**JPR(s)**	5.3.5, 5.3.9
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	10-1
Candidate Instruction	The candidate wearing protective clothing including SCBA with obscured vision, shall demonstrate entering a simulated burning and smoke filled environment, conduct primary search operations with a partner, and locate and remove a known adult victim. The room(s) should be large enough to conduct proper search techniques.		State Maximum Allotted 10 minutes

THIS SKILL MAY BE CONDUCTED USING THE "FLIP THE SWITCH" METHOD.

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Sizes up building for hazards, possible egress routes, and safe havens.						
Selects proper equipment required for searching (working radio, forcible entry tool, flashlight as a minimum).						
Checks door for heat before entering.						
Uses proper search techniques and stays low during searching. —**CRITICAL POINT**						
Searches likely or known locations of victims, behind closed doors and all closets.						
Ensures all likely or known locations where victims may be located in the structure, have been searched and successfully removes victims. —**CRITICAL POINT**						
Evaluates conditions and identifies possible means of egress throughout search.						
Maintains orientation throughout the evolution. —**CRITICAL POINT**						
Team maintains effective communication at all times. —**CRITICAL POINT**						
Team members' safety (including respiratory protection) is not compromised.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (8/11 required).	**Score: ___/ 11**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 11	/ 11	/ 11
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

ADVANCING AN UNCHARGED LINE FROM LADDER

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Handling Hose on a Ladder-Advancing Fire Hose	**JPR(s)**	5.3.10, 5.5.2
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	11-1
Candidate Instruction	The candidate wearing protective equipment, given the necessary equipment, and assistance, shall advance a 1 ½" or 1 ¾" or larger hoseline up a ladder and into a structure.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
ADVANCING AN UNCHARGED LINE FROM LADDER	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing						
Candidate verbalizes the hazards of advancing an uncharged line into a structure fire. —**CRITICAL POINT**						
Hose load is off to the side of the ladder and firefighter takes nozzle and pulls it under the armpit, across the chest and over the opposite shoulder.						
Nozzle resting in small of back, climbs the ladder with both hands.						
Firefighter climbs approximately 20' and stops to allow next firefighter to keep advancing hose.						
Next firefighter places hose over shoulder on the same side as first firefighter at the coupling and climbs the ladder maintaining their appropriate distance.						
At the point of entry, the firefighter with nozzle places nozzle over tip of ladder into building and before climbing in, sounds the floor with tool to ensure floor integrity. —**CRITICAL POINT**						
Second firefighter follows with section of hose on shoulder and climbs into building.						
Pulls remainder of hose into building and nozzle person charges line to advance to fire.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (7/9 required).	**Score:___/ 9**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 9	/ 9	/ 9
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

ADVANCING A CHARGED LINE INTO STRUCTURE

CANDIDATE NAME	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Advancing Fire Hose	**JPR(s)**	5.5.2
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	12-1
Candidate Instruction	The candidate, wearing protective equipment, given the necessary equipment, and assistance, shall advance a 1 ½" or 1 ¾" or larger hoseline.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 2	
ADVANCING A CHARGED LINE INTO STRUCTURE	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Advances hoseline to door with partner and both firefighters are on the same side of hose.						
Evaluates fire and building conditions before entry.						
Checks door for heat and sets nozzle pattern.						
Bleeds air out of hoseline before entering doorway. —**CRITICAL POINT**						
Opens door, looks up to ceiling and stays low when entering doorway.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/6 required).	**Score:___/ 6**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 6**	**/ 6**	**/ 6**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

INTERIOR STRUCTURE FIRE ATTACK

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	**Interior Structure Fire Attack**	**JPR(s)**	5.3.10
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	13-1
Candidate Instruction	The candidate wearing full protective clothing including SCBA and given an attack line, necessary tools and equipment and operating as a member of a team, shall correctly and safely extinguish an interior structure fire, at either of the following: grade level, above grade level or below grade level including overhaul. The attack line shall be 1 ½" or larger.		State Maximum Allotted 10 minutes

THIS SKILL MAY BE CONDUCTED BY THE "FLIP THE SWITCH" METHOD.

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing						
Deploys appropriate attack line, requests hoseline to be charged, sets nozzle pattern, and bleeds air from hose line before entry. —**CRITICAL POINT**						
Collects all tools and equipment necessary prior to entry.						
Ensures team accountability and hazards have been identified and controlled.						
Advances hose into structure properly and in a safe manner including nozzle control						
Maintains consistent situational awareness of the environment and fire conditions throughout the evolution.						
Uses appropriate method of attack and fire stream for fire conditions encountered (direct, indirect, combination) and extinguishes fire. —**CRITICAL POINT**						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/7 required).	**Score:___/ 7**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 7**	**/ 7**	**/ 7**
TIME			

EVALUATORS COMMENTS	

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

ESTABLISHING COMMAND AND COORDINATING CREWS

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	**Establishing Incident Command and Coordinating Crews**	**JPR(s)**	6.1.2, 6.2.2,6.3.2
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	13-2
Candidate Instruction	For this skills evaluation checklist candidate, having been provided a basic scenario that involves a fire in a residential structure (photo). The candidate will need to conduct and transmit a size up, assume command, coordinate tasks, and transfer command to a higher ranking member of the department (evaluator).		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Size up incident scene on arrival, (from stock photo presented by evaluator) fire conditions and type of occupancy.						
Transmit initial report over radio, transmit size up.						
Verbalize establishing Incident Command, place and name of Command.						
Identify incident tactical priorities, life safety, incident stabilization, and property conservation.						
Assign available resources to tasks, verbalize Engine 1 assignment (Fire attack), verbalize Engine 2 assignment (Water supply), and verbalize Truck 1 assignment (Forcible entry, ventilation, search and rescue).						
Provide briefing to senior officer that is assuming Command (evaluator), current incident situation, and resource assignments and status.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/6 required).	**Score:___/ 6**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 6**	**/ 6**	**/ 6**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

HORIZONTAL VENTILATION

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Horizontal Ventilation	**JPR(s)**	5.3.11, 5.3.12
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	14-1
Candidate Instruction	The candidate wearing full protective equipment, given an assistant and the necessary tools and equipment shall demonstrate ventilating a structure using the following methods.		State Maximum Allotted 15 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
MECHANICAL VENTILATION	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Organizes and collects necessary equipment.						
Uses or simulates safe procedures for clearing window/door glass and removing obstructions with respect to wind conditions. —**CRITICAL POINT**						
Ensures exit opening is proportioned to entry opening and establishes a draft path.						
Positions and starts fan.						
Ensures smoke is cleared before shutting down fan. —**CRITICAL POINT**						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/6 required).	**Score:___/ 6**

HYDRAULIC VENTILATION	**P**	**F**	**P**	**F**	**P**	**F**
Uses or simulates safe procedures for breaking window/door glass and removing obstructions.						
Sets fog nozzle position covering approximately 90% of opening.						
Positions at opening ensuring water is directed outside.						
Stream being used is effective. —**CRITICAL POINT**						
Shuts down nozzle when ventilation is achieved minimizing water damage.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required).	**Score:___/ 5**

MECHANICAL VENTILATION			
NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 5**	**/ 5**	**/ 5**
TIME			
EVALUATORS COMMENTS			

HYDRAULIC VENTILATION			
NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 5**	**/ 5**	**/ 5**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

VERTICAL VENTILATION

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Vertical Ventilation	**JPR(s)**	5.3.12
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	15-1
Candidate Instruction	The candidate wearing full protective equipment and SCBA, given the necessary tools and equipment shall demonstrate making an adequate opening in the roof for ventilation purposes and ensuring all safety practices are adhered to.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
VERTICAL VENTILATION	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Organizes and collects necessary equipment ensuring all tools are started and checked at ground level.						
Checks for unsafe conditions including wind conditions and provides two means of egress.						
Selects suitable location to ventilate.						
Sounds roof with tool before climbing on roof and works safely from roof ladder. —**CRITICAL POINT**						
Marks location for opening and starts cutting farthest from roof ladder.						
Creates an opening (minimum 4’ x 4’) and removes all interior barriers including ceiling materials.						
Avoids cutting structural members.						
Leaves roof when task complete.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (7/9 required).	**Score:___/ 9**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 9	/ 9	/ 9
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

SALVAGE AND OVERHAUL
TWO FIREFIGHTER SALVAGE FOLDS

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Salvage and Overhaul - Two Firefighter Salvage Folds	**JPR(s)**	5.3.14
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	16-1
Candidate Instruction	The candidate wearing protective equipment, given a salvage cover and an assistant shall demonstrate one of the following rolls or folds. The candidate shall also demonstrate deploying the rolled or folded salvage cover by arranging furnishings.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
SALVAGE COVER FOLD	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Folds cover in half lengthwise.						
Takes open corners and folds cover lengthwise again.						
Takes open corners from one end to the other end placing them on top (all 4 corners should be together at this point).						
Folds tarp end over end until desired size.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required).	**Score:___/ 5**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 5	/ 5	/ 5
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

ONE FIREFIGHTER SALVAGE-COVER ROLL AND SPREAD

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	One Firefighter Salvage-Cover Roll and Spread	**JPR(s)**	5.3.14
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	16-2
Candidate Instruction	The candidate wearing protective equipment, with the assistance of the Evaluator or an assistant shall roll a salvage cover for the one-firefighter spread. The candidate shall arrange and cover the assortment of furniture using the one-firefighter spread with a rolled cover. The candidate must use the cover that he / she prepared. This objective must be completed within 5 minutes.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
SALVAGE COVER ROLL AND SPREAD	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Cover prepared correctly (creates inside / outside folds, folds ends approx. 12” in, rolls to one end).						
Cover deployed correctly (unrolled from one end, edges tucked under furniture).						
Lapsed time per attempt (maximum 5 minutes).						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (3/4 required).	**Score:__/ 4**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 4**	**/ 4**	**/ 4**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

WATER SUPPLY - SUPPLY LAY CONNECTIONS

CANDIDATE NAME (Please Priint)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Water Supply-Hydrant-Supply Lay Connections	**JPR(s)**	5.3.15
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	17-1
Candidate Instruction	The candidate, wearing personal protective equipment and given supply or intake hose, hose tools, and a fire hydrant shall connect a fire department pumper to a water supply with a forward lay and ensure connections are tight and water flow is not obstructed.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
HYDRANT (FORWARD LAY CONNECTION)	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Grasps needed equipment & sufficient hose (spanner & hydrant wrench, necessary appliance & adapter).						
Secures hydrant, ensuring they are not between hose and hydrant and signals pump operator to start lay. —**CRITICAL POINT**						
Removes cap from appropriate outlet(s) and ensures other outlet caps are tightened (uses appropriate outlet nearest fire).						
Places hydrant wrench on the valve stem operating nut and removes hose loop from hydrant and connects hose to hydrant outlet closest to fire.						
Installs hydrant gate(s) on extra outlet(s) as required by department guidelines.						
Ensures supply line is attached to pumper OR hose clamp is used and placed properly by verbal or visual command.						
Opens hydrant slowly and ensure water flow is not restricted.						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (6/8 required).				**Score:___/ 8**		

NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 8**	**/ 8**	**/ 8**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

WATER SUPPLY
HYDRANT SUPPLY LAY CONNECTIONS

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Water Supply-Hydrant-Supply Lay Connections	**JPR(s)**	5.3.15
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	17-2
Candidate Instruction	The candidate, wearing personal protective equipment and given supply or intake hose, hose tools, and a fire hydrant shall connect a fire department pumper to a water supply with a reverse lay and ensure connections are tight and water flow is not obstructed.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
REVERSE LAY CONNECTION	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing						
Grasps needed equipment & sufficient hose (spanner & hydrant wrench, necessary appliance & adapter) to reach attack pumper intake.						
Anchors hose to stationary object and signals driver to start reverse lay.						
Supply line is attached to **attack** pumper OR hose clamp is used and placed properly.						
Intake hose is connected from **supply** pumper or hydrant and opens hydrant properly and ensures water flow is not restricted.						
Prepares supply hose for connection and connects to discharge outlet of **supply** pumper and charges line once **attack** pumper is ready (releases hose clamp if used).						
Ensures all connections are tight.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/7 required).	**Score:___/ 7**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 7**	**/ 7**	**/ 7**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

WATER SUPPLY- DRAFTING

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Water Supply-Drafting	**JPR(s)**	5.3.15
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	17-3
Candidate Instruction	The candidate, wearing personal protective equipment and given the assistance of another fire fighter, required equipment (appropriate type hose strainer, 10 ft sections of hard suction hose, rubber mallet, utility rope) shall assemble and connect the equipment necessary for drafting from a static water source or self-supporting portable water tank.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
DRAFTING	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing						
Checks hard-suction couplings (removes debris; replacing gaskets if necessary).						
Connects the sections of hard-suction hose (uses mallet if necessary to tighten for an airtight connection).						
Connects strainer to one end of the hard-suction hose (uses mallet if necessary to tighten for an airtight connection; fastens rope to strainer).						
Connects the hard-suction hose to the pump intake (uses mallet if necessary to tighten for airtight connection).						
Puts strainer into the water (uses rope to move hose & keep strainer off bottom).						
Ties up strainer rope (ties to stationary object or pumper).						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/7 required).	**Score:___/ 7**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 7**	**/ 7**	**/ 7**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

OPERATING PORTABLE FIRE EXTINGUISHERS

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Select and Use a Fire Extinguisher Operating Portable Fire Extinguishers	**JPR(s)**	5.3.16, 5.5.1
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	18-1
Candidate Instruction	The candidate, wearing full protective equipment and given a selection of portable fire extinguishers, shall extinguish an incipient Class A, B, or C fires so that the correct extinguisher is chosen, the fire is completely extinguished, and proper extinguisher handling techniques are followed.		State Maximum Allotted 3 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
OPERATING PORTABLE FIRE EXTINGUISHERS	**P**	**F**	**P**	**F**	**P**	**F**
Wears complete personal protective clothing.						
Identifies class of fire (A, B, C).						
Correct fire extinguisher/agent is selected.						
Verbalizes disrupting electrical current prior to extinguishing (class C only).						
Assures operation prior to using (fully charged and test fire extinguisher).						
Uses Pull, Aim, Squeeze, and Sweep method of application.						
Extinguishes fire completely and backs away when retreating. —**CRITICAL POINT**						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/7 required).					**Score:___/ 7**	

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 7**	**/ 7**	**/ 7**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

SECURING BUILDING UTILITIES

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Turn Off Building Utilities the Emergency Scene - Securing Building Utilities	**JPR(s)**	5.3.18
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	19-1
Candidate Instruction	The candidate wearing full protective clothing, employing all safety precautions, and given tools, shall demonstrate the ability to secure building utilities.		State Maximum Allotted 3 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
SECURING BUILDING UTILITIES	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Identifies utility control device and selects proper tool to shut off supply.						
Identifies hazards present and controls / avoids.						
Uses proper methods to safely secure utilities.						
Ensures utility company has been called.						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required). The charter training program may demonstrate and / or simulate this skill.					**Score:___/ 5**	

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 5	/ 5	/ 5
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

EMERGENCY SCENE ILLUMINATION

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Illuminate the Emergency Scene-Emergency Scene Illumination	**JPR(s)**	5.3.17
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	19-2
Candidate Instruction	The candidate wearing full protective clothing (SCBA if required), employing all safety precautions, and given fire service electrical generators and portable lighting shall set up and operate the equipment so designated areas are illuminated. All equipment must be operated safely.		State Maximum Allotted 3 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
EMERGENCY SCENE ILLUMINATION	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Lifts and operates equipment safely. —**CRITICAL POINT**						
Locates power plant in a remote & well-ventilated area.						
Arranges power cords neatly to minimize tripping while maintaining consistent situational awareness. —**CRITICAL POINT**						
Organizes lights in a useful position & illuminates area sufficiently.						
Starts power plant without difficulty.						
Shuts equipment off properly.						
Allows equipment to cool before returning to service OR verbally explains need to do so.						
Cleans & refuels equipment as necessary.						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (7/9 required). The charter training program may demonstrate and/or simulate this skill.					**Score:___/ 9**	

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 9	/ 9	/ 9
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

GROUND COVER FIRE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Ground Cover Fire	**JPR(s)**	5.3.3, 5.3.19
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	20-1
Candidate Instruction	The candidate, working as a member of a team, given personal protective equipment, fire fighting equipment, an assignment, and traffic control devices if applicable, shall establish safe work areas and combat a ground cover fire. The team will protect exposures and extinguish the fire safely using hoselines, extinguishers or hand tools.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wears complete personal protective clothing (SCBA if needed). —**CRITICAL POINT**						
Identifies fire direction, exposures and hazards.						
Deploys hand tools, hoselines and extinguishers as required for either a direct or indirect attack.						
Protects exposures, constructing a fire line.						
Extinguishes fire using water or hand tools.						
Safety threats to the team recognized and retreat / redeployment occurs when warranted.						
Maintains team accountability. —**CRITICAL POINT**						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/7 required). The charter training program may demonstrate and / or simulate this skill.	**Score:___/ 7**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 7**	**/ 7**	**/ 7**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

EQUIPMENT MAINTENANCE
CLEANING AND INSPECTING LADDERS

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Equipment Maintenance - Cleaning and Inspecting Ladders	**JPR(s)**	5.5.1
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	21-1
Candidate Instruction	The candidate, given an appropriate ladder and cleaning supplies (brush, water, lubricating material), shall demonstrate and verbally explain how to clean, maintain, and inspect a fire service ladder according to manufacturer and department guidelines.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Uses water & a soft-bristle brush to remove dirt; solvents may be used for tar, oil, or grease; wipes dry.						
Checks lubrication of moveable parts.						
Checks heat sensor label (heat exposure signs).						
Checks rungs (tightness, deformations).						
Checks welds, bolts & rivets (tightness, defects).						
Checks beams (deformations).						
Checks pawl assemblies (moves freely).						
Checks halyard (fraying, kinking, snugness, free movement). —**CRITICAL POINT**						
Checks pulleys (turn freely).						
Checks ladder guides (free movement of fly section).						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (7/10 required). The charter training program may demonstrate and / or simulate this skill.	**Score:___/ 10**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 10	/ 10	/ 10
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

EQUIPMENT MAINTENANCE
CLEANING AND INSPECTING ROPE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Equipment Maintenance-Cleaning and Inspecting Rope	**JPR(s)**	5.1.2, 5.5.1
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	21-2
Candidate Instruction	The candidate, given a fire service life safety rope shall demonstrate the technique for inspecting, cleaning, and storing the rope according to manufacturer's recommendations or department guidelines.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Inspects entire length of rope for chafing, abrasion, melting, and exposure to chemicals.						
Inspects rope by running through hands and checks for soft spots, voids, and any damage in center fibers or on outer sheath.						
Cleans rope if necessary and air dries completely before storage.						
Removes any damaged rope from service and records in log. —**CRITICAL POINT**						
Properly stores fire service rope.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required). The charter training program may demonstrate and/or simulate this skill.	**Score:___/ 5**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 5	/ 5	/ 5
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

EQUIPMENT MAINTENANCE
POWER TOOL MAINTENANCE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Equipment Maintenance - Power Tool Maintenance	**JPR(s)**	6.5.4
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	21-3
Candidate Instruction	The candidate given a power plant and lighting equipment shall demonstrate the correct care, servicing and maintenance of the equipment.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Checks all fluid levels in tool (gas, oil).						
Inspects all electrical equipment for damage or worn components.						
Operates all equipment according to manufacturer's guidelines ensuring all equipment is working properly.						
Cleans equipment after use and refuels if necessary.						
Identifies procedures for reporting defective equipment.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required). The charter training program may demonstrate and / or simulate this skill.	**Score:___/ 5**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 5	/ 5	/ 5
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

HOSE MAINTENANCE
CLEANING AND INSPECTING FIRE HOSE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Hose Maintenance – Cleaning / Inspecting Fire Hose	**JPR(s)**	5.5.2
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	22-1
Candidate Instruction	The candidate, given washing equipment, water, detergent, tools, and replacement hose gaskets shall wash and inspect fire hose for any damage and to ensure hose is in a ready state for service.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Cleans couplings using water and brush (soapy water if necessary).						
Inspects couplings on hose ensuring that swivels operate and threads are not damaged.						
Demonstrates inspecting and replacing hose coupling gasket if necessary.						
Cleans hose jacket using brooms, brushes, clear water, and soap for areas of heavy contamination.						
Inspects hose jacket ensuring there are no defects or damage (holes, tears, or chemicals / fuel).						
If hose is found to be defective, marks out of service and records.						
Dries hose using hose tower, drying rack, or other means (keeps out of direct sunlight and high heat devices for drying).						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/7 required). The charter training program may demonstrate and / or simulate this skill.	**Score:___/ 7**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 7**	**/ 7**	**/ 7**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

INCIDENT REPORT

CANDIDATE NAME (Please Print)	CERT #
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Incident Report	**JPR(s)**	6.2.1
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	23-1
Candidate Instruction	The candidate given a scenario and field incident report forms and using operating guidelines shall complete a basic incident report so all pertinent information is recorded, the information is accurate, and the form is complete.		State Maximum Allotted 5 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Completes a field incident report. —**CRITICAL POINT**						
Enters all information in correct locations.						
Writes / types legibly / neatly.						
Ensures report comments are factual and written objectively.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (3/4 required).	**Score:___/ 4**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 4**	**/ 4**	**/ 4**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

IGNITABLE LIQUID FIRE

CANDIDATE NAME (Please Print)	CERT #
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Ignitable Liquid Fire	**JPR(s)**	6.3.1
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	24-1
Candidate Instruction	The candidate wearing personal protective clothing including SCBA, given foam equipment, foam and an assignment shall extinguish an ignitable liquid fire operating as a member of a team. The team will properly proportion, apply and maintain a foam stream and blanket to safely control the hazard.		State Maximum Allotted 10 minutes

THIS SKILL MAY BE CONDUCTED USING THE "FLIP THE SWITCH" METHOD.						
PERFORMANCE STEPS	**TEST 1**		**RETEST 2**		**RETEST 3**	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Dons full personal protective equipment including SCBA and maintains team accountability. **—CRITICAL POINT**						
Identifies and provides means of retreat and safe haven.						
Selects appropriate foam for the application.						
Correctly sets up equipment.						
Proportions foam in correct ratio.						
Handles hose line correctly advancing hose line as a team.						
Uses appropriate application techniques for foam / fuel type.						
Extinguishes fire safely and efficiently. —**CRITICAL POINT**						
The hazard is faced until retreat to safe haven is reached.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (7/9 required). The charter training program may demonstrate and / or simulate this skill.	**Score:____/ 9**

NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 9**	**/ 9**	**/ 9**
TIME			

EVALUATORS COMMENTS	

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

FLAMMABLE GAS FIRE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Flammable Gas Fire	**JPR(s)**	6.3.3
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	25-1
Candidate Instruction	The candidate wearing personal protective clothing including SCBA, given a fire apparatus, and working as part of a team shall successfully control and extinguish a flammable gas fire.		State Maximum Allotted 10 minutes

THIS SKILL MAY BE CONDUCTED USING THE "FLIP THE SWITCH" METHOD.

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wears personal protective equipment including SCBA. —**CRITICAL POINT**						
Identifies,controls, and avoids hazards (approaches from side, vapor density of product, ignition sources.						
Selects and advances fire hose correctly using a minimum of two 1 ½" hoselines capable of a fog stream.						
Safe havens and accountability in place before advancing. —**CRITICAL POINT**						
Uses streams effectively to protect and cool where necessary (fog for protection, straight stream for cooling.						
Shuts off fuel supply.						
Crew integrity is maintained.						
The cylinder is faced during approach and retreat.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (6/8 required). The charter training program may demonstrate and / or simulate this skill.	**Score:___/ 8**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 8**	**/ 8**	**/ 8**
TIME			

EVALUATORS COMMENTS		
PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

VEHICLE EXTRICATION

CANDIDATE NAME	DATE
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Vehicle Extrication	**JPR(s)**	6.4.1, 6.4.2
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	26-1
Candidate Instruction	For this skills evaluation checklist, candidates wearing personal protective clothing will prepare to extricate a victim, manage hazards, stabilize the vehicle, and move or remove one of the following: vehicle roofs, doors, windshields, windows, steering, or other columns and the dashboard.		State Maximum Allotted 15 minutes

THIS SKILL MAY BE CONDUCTED USING THE "FLIP THE SWITCH" METHOD.

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps: Windshield or Window Removal	**P**	**F**	**P**	**F**	**P**	**F**
Assess if the scene is safe (360 size-up around vehicle).—**CRITICAL POINT**						
Stabilize vehicle (i.e. wheel chocks, cribbing, ropes, or other tools) prior to accessing patient.—**CRITICAL POINT**						
Before starting work, plan the operation and determine the windows to be removed and the method of removing glass. Verbalize to the evaluator.						
Check the area in which the work is to be done.						
Remove glass to avoid causing further hazards or injuries.—**CRITICAL POINT**						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required).				**Score:___/ 5**		
OR	**TEST 1**		**RETEST 2**		**RETEST 3**	
Removing Vehicle Doors	**P**	**F**	**P**	**F**	**P**	**F**
Assess if the scene is safe (360 size-up around vehicle).—**CRITICAL POINT**						
Stabilize vehicle (i.e. wheel chocks, cribbing, ropes, or other tools) prior to accessing patient.—**CRITICAL POINT**						
Before starting work, plan the operation and determine the doors to be removed and the method of removing the doors. Verbalize to the evaluator.						
Verbalize isolation of hazards (Battery, fuel, etc.).						
Try before you pry.—**CRITICAL POINT**						
Remove door per method verbalized to the evaluator.—**CRITICAL POINT**						
Move the door to area where it will not endanger others or interfere with operations.						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/7required).				**Score:___/ 7**		
OR	**TEST 1**		**RETEST 2**		**RETEST 3**	
Roof Removal	**P**	**F**	**P**	**F**	**P**	**F**
Assess if the scene is safe (360 size-up around vehicle). —**CRITICAL POINT**						
Stabilize vehicle (i.e. wheel chocks, cribbing, ropes, or other tools) prior to accessing patient.—**CRITICAL POINT**						
Before starting work, plan the operation and the method of removing the roof. Verbalize to the evaluator.						
Remove the windshield only if absolutely necessary to remove the roof.						
Cut all roof posts.—**CRITICAL POINT**						

Roof Removal (Continued)	**TEST 1**		**RETEST 2**		**RETEST 3**	
Position four firefighters, one near each A post and one near each C post. —**CRITICAL POINT**						
Move the roof to an area in which it will not endanger others or interfere with operations.—**CRITICAL POINT**						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/7 required).				**Score:___/ 7**		
OR	**TEST 1**		**RETEST 2**		**RETEST 3**	
Displace Dashboards	**P**	**F**	**P**	**F**	**P**	**F**
Assess if the scene is safe (360 size-up around vehicle).—**CRITICAL POINT**						
Stabilize vehicle (i.e. wheel chocks, cribbing, ropes, or other tool) prior to accessing patient.—**CRITICAL POINT**						
Before starting work, plan the operation and the method of displacing the dash. Verbalize to the evaluator.						
Make a relief cut in A post. Using hydraulic shears or hand saw, at base of A post on each side of vehicle, at approximately 45-degree angle into frame, no more than halfway through frame.—**CRITICAL POINT**						
Position the extension rams or other tools to move dashboard.						
Operate tools until dashboard is moved clear.—**CRITICAL POINT**						
Remove the tools by relieving pressure.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/7 required).	**Score:___/ 7**

Safely performs the following steps: Windshield or Window Removal			
NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 5**	**/ 5**	**/ 5**
TIME			
EVALUATORS COMMENTS			

Removing Vehicle Doors			
NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 7**	**/ 7**	**/ 7**
TIME			
EVALUATORS COMMENTS			

Roof Removal			
NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 7**	**/ 7**	**/ 7**
TIME			
EVALUATORS COMMENTS			

Displace Dashboards			
NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 7**	**/ 7**	**/ 7**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

HOME FIRE SAFETY SURVEY

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Home Fire Safety Survey	**JPR(s)**	6.5.1
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	27-1
Candidate Instruction	The candidate given an inspection scenario and appropriate forms shall perform a fire safety survey of a private dwelling so that fire and life safety hazards are identified and that recommendations for corrections are made.		State Maximum Allotted 20 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Identifies themselves, the purpose of their visit, and requests permission to conduct survey.						
Inspects ALL areas inside of dwelling for life safety hazards.						
Makes note of smoke and carbon monoxide detectors (recommends to occupant to install if there are none).						
Inspects exterior of dwelling.						
Informs dwelling occupant / owner of findings and proper methods of correction.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required). Charter training program may demonstrate / simulate this skill.	**Score:___/ 5**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 5	/ 5	/ 5
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

FIRE AND LIFE SAFETY EDUCATION

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Fire and Life Safety Education	**JPR(s)**	6.5.2
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	28-1
Candidate Instruction	For this skills evaluation checklist, candidates will make a fire and life safety presentation. Candidates will be assigned a presentation from a list of 5 fire and life safety topics: Stop-drop-roll, Smoke detectors, Tobacco smoking materials, EDITH, Fire extinguishers.		State Maximum Allotted 30 minutes for preparation and 3-5 minutes for presentation.

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Completes the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Topic is appropriate for the audience.						
Present lesson outline to evaluator.—**CRITICAL POINT**						
Obtain necessary equipment and materials.						
Conduct the presentation according to the lesson outline. Educational methods used are developmentally appropriate, all steps in outline are followed, and questions are answered.—**CRITICAL POINT**						
Time limits are met.—**CRITICAL POINT**						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required).	**Score:___/ 5**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 5	/ 5	/ 5
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

PRE-INCIDENT SURVEY

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Pre-Incident Survey	**JPR(s)**	6.5.3
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	29-1
Candidate Instruction	The candidate given access to a commercial building and given the necessary supplies such as note paper, pencils, rulers, and graph paper shall prepare a pre-incident survey.		State Maximum Allotted 20 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Records all ownership data that is pertinent to building.						
Notes all utilities, hydrants, fire detection and suppression systems.						
Notes any hazards that are present (hazardous materials, obstructions to property, obstructions for egress for occupants).						
Completes accurate sketch of building using common symbols and indicating all necessary information.						
Informs building occupant / owner of findings.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required).	**Score:____/ 5**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 5**	**/ 5**	**/ 5**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

SERVICE TESTING FIRE HOSE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER II	PRACTICAL SKILL EVALUATION		
Primary Task	Service Testing Fire Hose	**JPR(s)**	6.5.5
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	30-1
Candidate Instruction	The candidate wearing personal protective clothing, given a pump, a marking device, pressure gauges, a timer, record sheets, and related equipment shall demonstrate proper techniques to service test a fire hose so that procedures are followed, the condition of the hose is evaluated, any damaged hose is removed from service and the results are recorded.		State Maximum Allotted 15 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing						
Evaluates condition of hose before testing including coupling gaskets.						
Marks all couplings prior to testing.						
Correctly identifies pressure to which hose shall be tested.						
Demonstrates testing properly. —**CRITICAL POINT**						
Marks defective hoses and records results.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/6 required).	**Score:___/ 6**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 6	/ 6	/ 6
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

SALVAGE AND OVERHAUL
TWO FIREFIGHTER SALVAGE DEPLOYMENT

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Salvage and Overhaul - Two Firefighter Salvage Deployment	**JPR(s)**	5.3.14
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	32-1
Candidate Instruction	The candidate wearing protective equipment, given a salvage cover, and an assistant shall demonstrate the shoulder toss or the balloon toss.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
SHOULDER TOSS	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Arranges furnishings in orderly fashion.						
Places folded salvage cover over arm.						
Uses straight arm movement and tosses cover over furniture.						
Cover is deployed correctly with edges tucked under furniture.						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/5 required).				**Score:__/ 5**		
OR	**TEST 1**		**RETEST 2**		**RETEST 3**	
BALLOON TOSS	**P**	**F**	**P**	**F**	**P**	**F**
Wearing complete personal protective clothing.						
Unfolds cover next to furniture with assistant.						
Deploys salvage cover over furniture using ballooning method correctly.						
Edges of cover are tucked under furniture.						
Firefighter must have at least 70% pass mark for each skill and perform all critical points (3/4 required).				**Score:__/ 4**		

SHOULDER TOSS			
NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 5**	**/ 5**	**/ 5**
TIME			
EVALUATORS COMMENTS			

BALLOON TOSS			
NUMBER OF ATTEMPTS	**TEST1**	**RETEST 2**	**RETEST 3**
SCORE	**/ 4**	**/ 4**	**/ 4**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

ROLLING HOSE

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Rolling Hose	**JPR(s)**	5.3.1, 5.5.3
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	33-1
Candidate Instruction	The student wearing appropriate level of personal protective clothing shall demonstrate two (2) hose rolls. The hose rolls to be demonstrated are the Straight roll, and the Donut roll. The student may choose the order in which the hose is rolled. This objective shall be completed within ten (10) minutes. An evaluator or assistant may assist with this skill. There shall be no running during this objective. Upon completion of this objective, all hose shall be unrolled and returned to the condition in which they were found.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Student should be wearing appropriate level of Personal Protective Equipment						
STRAIGHT ROLL						
Rolls male coupling in to protect.						
Lays roll down and tamps exposed coils.						
DONUT ROLL						
Start roll approximately 5'-6' from center toward male coupling.						
Rolls toward female coupling.						
Ends with sufficient hose (approximately 3') to fold over and protect male coupling.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/6 required).	**Score:___/ 6**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 6	/ 6	/ 6
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

ACCORDION HOSE LOAD (REVERSE LAY)

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Accordion Hose Load (Reverse Lay)	**JPR(s)**	5.3.1, 5.5.4
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	33-2
Candidate Instruction	The student wearing the appropriate level of personal protective clothing shall demonstrate the accordion hose load for reverse lay. The student shall load all three (3) sections of 2 ½" hose. The student may use the evaluator as an assistant. However, the student must instruct the evaluator as if he / she had no prior hose loading knowledge. An evaluator or an assistant may assist with the completion of this skill. This objective must be completed within 10 minutes. Upon completion of the evaluation, the student must unload the hose and return it to the condition it was found.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Student must be wearing the appropriate level of personal protective equipment						
Lay first length on edge against divider / partition with female coupling to front of bed.						
Folds hose upon itself even with rear edge of bed.						
Continues loading hose in folds / on edge across the bed.						
Creates "Dutchman" folds as needed to assure straight hose deployment.						
Lapsed time within ten (10) minutes.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (4/6 required).	**Score:___/ 6**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	**/ 6**	**/ 6**	**/ 6**
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

FLAT HOSE LOAD (FORWARD LAY)

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Flat Hose Load Forward Lay	**JPR(s)**	5.3.1, 5.5.4
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	33-3
Candidate Instruction	The student shall demonstrate the flat hose load for a forward lay. The student shall load all three (3) sections of 2 ½" hose. The student may use the evaluator as an assistant. However, the student must instruct the evaluator as if he / she had no prior hose loading knowledge. This objective must be completed within 5 minutes. An evaluator or assistant may assist in the completion of this skill. Upon completion of the evaluation, the student must unload the hose and return it to the condition it was found.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Student must be wearing the appropriate level of personal protective equipment.						
Lays first length flat against divider / partition with male coupling to front of bed.						
Folds hose upon itself, on top of first length and even with rear edge of bed.						
Continues toward front of bed, angling slightly to place this length adjacent to the first.						
Continues pattern across the bed.						
Creates "Dutchman" folds as needed to assure straight hose deployment.						
Lapsed time within ten (10) minutes.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (5/7 required).	**Score:___/ 7**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 7	/ 7	/ 7
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR **X**		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

PRE-CONNECTED FLAT HOSE LOAD

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Pre- Connected Flat Hose Load	**JPR(s)**	5.3.1, 5.5.4
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	33-4
Candidate Instruction	The student shall demonstrate the pre-connected flat hose load. The student must load all three (3) sections of 50' handline. The student may use the evaluator as an assistant. However, the student must instruct the evaluator as if he / she had no prior hose loading knowledge. This objective must be completed within 5 minutes. Upon completion, the student must unload the hose and return it to the condition it was found.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
The student must be wearing their complete set of personal protective equipment and self-contained breathing apparatus (SCBA).						
Attaches female coupling to appropriate male discharge.						
Lays first length flat against divider / partition.						
Folds hose upon itself with fold even with edge of bed.						
Continues toward front of bed (or opposite side) angling slightly to place this length adjacent to the first.						
Continues toward rear of bed (or opposite side) placing next length against preceding length or opposite divider / partition thus creating the first tier of hose.						
Continues in above manner until next coupling or one-third total length of load.						
Creates approximately 8" loop (for pull handle) at one-third total length of load **Note: Loops on both sides for cross lay hose beds.**						
Continues with folds (as above) until next coupling or two-thirds total length of load.						
Creates approximately 14" loop (for pull handle) at two-thirds length of load **Note: Loops on both sides for cross lay hose beds.**						
Completes load with male coupling on top.						
Attaches nozzle to male coupling.						
Creates short folds as needed through-out so couplings do not hang out.						
Couples hose together as each progressive section is loaded.						
Lapsed time within 10 minutes.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (11/15 required).	**Score:___/ 15**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 15	/ 15	/ 15
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE FIRST EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE SECOND EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /
SIGNATURE THIRD EVALUATOR X		**Overall Skill Sheet Score** ☐ Pass ☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

MINUTEMAN HOSE LOAD

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Minuteman Hose Load	**JPR(s)**	5.1.1, 5.3.1, 5.5.4
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	33-5
Candidate Instruction	The student wearing the appropriate level of personal protective clothing shall demonstrate the minuteman hose load. The student must load all three (3) 50' sections of handline. The student may use the evaluator as an assistant. However, the student must instruct the evaluator as if he / she had no prior hose loading knowledge. This objective must be completed within 5 minutes. Upon completion, the student must unload the hose and return it to the condition it was found.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
Student must be wearing their appropriate level of personal protective equipment.						
Attaches one (1) 50' section of hose to appropriate male discharge.						
Lays first length against divider / partition then: pulls remainder of first section to the front and out of the hose bed. **Note: for rear or front hose bed discharges only.** **OR** Pulls remainder of first section to the opposite side and out of the hose bed. **Note: For cross lay hose bed / center discharges only.**						
Couples remaining sections of hose.						
Attaches nozzle to male coupling.						
Places nozzle atop first length even with rear of bed (or edge of cross lay).						
Lays hose against divider / partition toward front of bed (or opposite side of cross lay).						
Folds hose and continues toward rear of bed (or opposite side) angling slightly to place this length adjacent to the first.						
Continues in above manner until all hose (except first section) has been loaded. **Note: Bottom folds may be longer for pulling purposes.**						
Connects male coupling of first section to female coupling of last section loaded.						
Lays first section atop others in manner consistent with above method.						
Lapsed time within 10 minutes.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (9/12 required).	**Score:___/ 12**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 12	/ 12	/ 12
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR X		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR X		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR X		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail

OHIO DEPARTMENT OF PUBLIC SAFETY

TRIPLE LAYER HOSE LOAD

CANDIDATE NAME (Please Print)	DATE
CHARTER	CHARTER #

FIREFIGHTER I	PRACTICAL SKILL EVALUATION		
Primary Task	Triple Layer Hose Load	**JPR(s)**	5.3.1, 5.5.4
Reference Source	NFPA 1001 Standard, 2008 Edition	**Skill No.**	33-6
Candidate Instruction	The student wearing the appropriate level of personal protective clothing shall demonstrate the triple layer hose load. The student must load all three (3) 50' sections of handline. The student may use two evaluators as assistants. However, the student must instruct the evaluator(s) as if they have had no prior hose loading knowledge. Upon completion, the student must unload the hose and return it to the condition it was found.		State Maximum Allotted 10 minutes

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	**P**	**F**	**P**	**F**	**P**	**F**
The student must be in their appropriate level of personal protective equipment						
Starts by coupling all three (3) sections of hose together into one (1) 150' length.						
Attaches female coupling to appropriate male discharge.						
Lays out hose in a straight line from hose bed.						
Grabs hose at a point approximately two-thirds the total length from hose bed.						
Pulls hose back upon itself creating a three layered stack of hose.						
Picks up entire stack and begins folding stack into hose bed.						
Lays first length flat against divider / partition toward front of bed (or opposite side).						
Folds stack and continues back toward rear of bed (or opposite side) angling slightly to place this length adjacent first and against opposite divider / partition.						
Continues in above manner until entire length has been loaded.						
Completes load by attaching nozzle to male coupling.						

Firefighter must have at least 70% pass mark for each skill and perform all critical points (8/11 required).	**Score:___/ 11**

NUMBER OF ATTEMPTS	TEST1	RETEST 2	RETEST 3
SCORE	/ 11	/ 11	/ 11
TIME			
EVALUATORS COMMENTS			

PRINT NAME FIRST EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE FIRST EVALUATOR X		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME SECOND EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE SECOND EVALUATOR X		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail
PRINT NAME THIRD EVALUATOR	CERT #	SKILL TEST DATE / /	
SIGNATURE THIRD EVALUATOR X		**Overall Skill Sheet Score**	
		☐ Pass	☐ Fail